


## Data sheet Product WLFT 30 023



Accessories for electronic components>Thermal interface material>Thermal conductive foil one-sided adhesive

- one-side adhesive thermal conductive foil
- glass fibre reinforced design
- very good thermal conductivity
- simple handling and mounting
- cuts and contours according to customer's drawing specifications

### Features

|                          |  |
|--------------------------|--|
| material thickness:      | 0.23 mm  |
| version:                 | silicone foil with glass fibre reinforcement   |
| colour:                  | green  |
| hardness:                | 80 Shore A   |
| thermal conductivity:    | 3 W/m-K  |
| temperature range:       | -60°C ... +200°C   |
| elongation:              | 5 %  |
| volume resistance:       | >10 <sup>9</sup> Ω·cm  |
| dielectric constant:     | 6 [1 kHz]  |
| tear strength:           | 1 N/mm <sup>2</sup>  |
| dielectric strength:     | 6 kV   |
| class of inflammability: | UL 94 V-0  |
| type of delivery:        | <ul style="list-style-type: none"> <li>• plates, usable area 300x200mm</li> <li>• other dimensions upon request</li> </ul> |

## The Netherlands



Elektrostraat 17  
NL-7483 PG Haaksbergen

T: +31 (0)53 573 33 33  
F: +31 (0)53 573 33 30  
E: [nl@texim-europe.com](mailto:nl@texim-europe.com)

## Belgium



Zuiderlaan 14 bus 10  
B-1731 Zellik

T: +32 (0)2 462 01 00  
F: +32 (0)2 462 01 25  
E: [belgium@texim-europe.com](mailto:belgium@texim-europe.com)

## UK & Ireland



St. Mary's House, Church Lane  
Carlton Le Moorland  
Lincoln LN5 9HS

T: +44 (0)1522 789 555  
F: +44 (0)845 299 22 26  
E: [uk@texim-europe.com](mailto:uk@texim-europe.com)

## Germany North



Bahnhofstrasse 92  
D-25451 Quickborn

T: +49 (0)4106 627 07-0  
F: +49 (0)4106 627 07-20  
E: [germany@texim-europe.com](mailto:germany@texim-europe.com)

## Germany South



Martin-Kollar-Strasse 9  
D-81829 München

T: +49 (0)89 436 086-0  
F: +49 (0)89 436 086-19  
E: [germany@texim-europe.com](mailto:germany@texim-europe.com)

## Austria



Warwitzstrasse 9  
A-5020 Salzburg

T: +43 (0)662 216 026  
F: +43 (0)662 216 026-66  
E: [austria@texim-europe.com](mailto:austria@texim-europe.com)

## Nordic region



Sdr. Jagtvej 12  
DK-2970 Hørsholm

T: +45 88 20 26 30  
F: +45 88 20 26 39  
E: [nordic@texim-europe.com](mailto:nordic@texim-europe.com)

## Italy



Via Matteotti 43  
IT-20864 Agrate Brianza (MB)

T: +39 (0)39 971 3293  
F: +39 (0)39 971 3293  
E: [italy@texim-europe.com](mailto:italy@texim-europe.com)

## General information



[info@texim-europe.com](mailto:info@texim-europe.com)  
[www.texim-europe.com](http://www.texim-europe.com)