

Distributed by:




www.texim-europe.com



V: 2020.03

SIM8200G

SIMCom 5G Sub-6G Module




Product Description

The SIM8200G is Multi-Band 5G NR/LTE-FDD/LTE-TDD/HSPA+ module which supports R15 5G NSA/SA up to 4Gbps data transfer.

It has strong extension capability with abundant interfaces including PCIe, USB3.1, GPIO etc. The module provides much flexibility and ease of integration for customer's applications.

SIM8200G adopts LGA form factor and the AT commands are compatible with SIM8300 series modules. This also minimizes the investments of customers and enables a short time-to-market.

It is designed for applications that need high throughput data communication in a variety of radio propagation conditions. Due to the unique combination of performance, security and flexibility, this module is ideally suited for many applications.



Key Benefits

- ◆ LGA form factor with abundant interfaces
- ◆ High throughput data communication
- ◆ The AT commands of SIM8200G are compatible with SIM8300 series modules

General Features

Frequency Bands	5G Sub-6G n1,n2,n3,n5,n7,n8,n12,n20,n25,n28, n40,n41,n66,n71,n77,n78,n79
	LTE-FDD B1/B2/B3/B4/B5/B7/B8/B12/B13/B14/ B17/B18/B19/B20/B25/B26/B28/B29/ B30/B66/B71
	LTE-TDD B34/B38/B39/B40/B41/B42/B48
	WCDMA B1/B2/B3/B4/B5/B8
GNSS	GPS/GLONASS/BeiDou/Galileo/QZSS
Supply Voltage	3.3V ~ 4.4V
Control Via AT Commands	
Operation temperature	-30°C ~ +70°C
Dimensions	41.0*43.6.0*2.8mm
Weight	11.17g

Data Transfer

Sub-6G	Uplink up to 1Gbps
	Downlink up to 4Gbps
LTE Cat 20+	Uplink up to 200Mbps
	Downlink up to 2Gbps
HSPA+	Uplink up to 5.76Mbps
	Downlink up to 42Mbps



Note

*: on going

Other Features

USB Driver for Microsoft Windows Win7/Win8/Win10
USB Driver for Linux /Android
RIL supporting for Android 6/7/8/9
RNDIS /NDIS/PPP/MBIM to Win8
Firmware update via USB
TCP/IP/IPV4/IPV6/Multi-PDP/FTP/FTPS/HTTP /HTTPS/MQTT/DNS/SSL3.0/TLS1.0/TLS1.2
DTMF(Sending and Receiving)
VoLTE/CSFB/VoNR*
FOTA

Interfaces

USB2.0
USB3.1
UART
USIM (1.8V /2.95V)
PCM
SPI
ADC
I2C
GPIO
RGMI
PCIe Gen3
SDIO3.0
PMI
Antenna*8

Certifications

3C*/SRRC*/NAL*/RoHS*/REACH*
CE*/FCC*

The Netherlands



Elektrostraat 17
NL-7483 PG Haaksbergen

T: +31 (0)53 573 33 33
F: +31 (0)53 573 33 30
E: nl@texim-europe.com

Belgium



Zuiderlaan 14 bus 10
B-1731 Zellik

T: +32 (0)2 462 01 00
F: +32 (0)2 462 01 25
E: belgium@texim-europe.com

UK & Ireland



St. Mary's House, Church Lane
Carlton Le Moorland
Lincoln LN5 9HS

T: +44 (0)1522 789 555
F: +44 (0)845 299 22 26
E: uk@texim-europe.com

Germany North



Bahnhofstrasse 92
D-25451 Quickborn

T: +49 (0)4106 627 07-0
F: +49 (0)4106 627 07-20
E: germany@texim-europe.com

Germany South



Martin-Kollar-Strasse 9
D-81829 München

T: +49 (0)89 436 086-0
F: +49 (0)89 436 086-19
E: germany@texim-europe.com

Austria



Warwitzstrasse 9
A-5020 Salzburg

T: +43 (0)662 216 026
F: +43 (0)662 216 026-66
E: austria@texim-europe.com

Nordic region



Sdr. Jagtvej 12
DK-2970 Hørsholm

T: +45 88 20 26 30
F: +45 88 20 26 39
E: nordic@texim-europe.com

Italy



Via Matteotti 43
IT-20864 Agrate Brianza (MB)

T: +39 (0)39 971 3293
F: +39 (0)39 971 3293
E: italy@texim-europe.com

General information



info@texim-europe.com
www.texim-europe.com