


# SIM7000E

eMTC/NB-IoT/EDGE Module



Tri-Band  
LTE

FOTA

LCC

VoLTE

Compact  
Size

GNSS

TCP/IP

USB 2.0

SSL

## Product Description

The SIM7000E is Tri-Band LTE-FDD and Dual-Band GPRS/EDGE module solution in a SMT type which supports LTE CAT-M1(eMTC) and NB-IoT up to 375kbps data transfer. It has strong extension capability with rich interfaces including UART, USB2.0, GPIO etc. The module provides much flexibility and ease of integration for customer's application.

The package of SIM7000E is compatible with SIM900 and SIM800F. AT commands of SIM7000E are mostly compatible with SIM800F. This also maximizes the investments of customers, and enables a short time-to-market.

It is designed for applications that need low latency, medium throughput data communication in a variety of radio propagation conditions. Due to the unique combination of performance, security and flexibility, this module is ideally suited for M2M applications, such as metering, telematics, asset tracking, remote monitoring, E-health, mobile pos terminals and sharing bike.

## Key Benefits

- With Power Save Mode(PSM) and Extended Discontinuous Reception(eDRX), SIM7000E can extend battery life to 10 years
- SIM7000E provides deeper coverage enhancement compared to GSM
- The package and AT commands of SIM7000E mostly are compatible with SIM900 and SIM800F.

Smart machine Smart decision

Tel:86-21-32523300

Fax:86-21-32523301

simcom@sim.com

www.simcomm2m.com

## General Features

Tri-Band FDD-LTE B3/B8/B20  
GPRS/EDGE 900/1800Mhz  
Output power  
- GSM900: 2W  
- DCS1800: 1W  
Control Via AT Commands  
Supply voltage range: 3.0V~ 4.3V, Typ: 3.8V  
Operation temperature: -40°C to +85°C  
Dimensions: 24 X 24 X 2.6mm  
Weight: 3.0g  
GNSS (GPS, GLONASS and BeiDou/Compass, Galileo, QZSS)

## Data

### LTE CAT-M1(eMTC)

- Uplink up to 375kbps, Downlink up to 300kbps

### NB-IoT

- Uplink up to 66kbps, Downlink up to 34kbps

### EDGE Class

- Uplink up to 236.8Kbps, Downlink up to 236.8Kbps

### GPRS

- Uplink up to 85.6Kbps, Downlink up to 85.6Kbps

## Specifications for SMS

Point to point MO and MT  
Text and PDU mode

## Other Features

USB Driver for Microsoft Windows XP/Vista/7/8  
USB Driver for Windows CE/Mobile  
USB Driver for Linux/Android  
Firmware update via USB  
TCP/IP  
PPP  
SMS  
EMAIL  
FTP/HTTP/SSL  
VoLTE\*  
FOTA \*

## Interfaces

USB2.0 x1 (high-speed)  
UART x2 (7-wire UART and 2-wire UART interface multiplex from GPIO)  
SIM card x1 (1.8V and 3V)  
I2C x1  
GPIO x5  
ADC x1

## Consumption

Power off: 7uA  
PSM: 9uA  
Sleep: 1mA  
Idle: 11mA

## Certifications

CE\* / RoHS / REACH

Smart machine Smart decision

Tel:86-21-32523424

Fax:86-21-32523020

simcom@sim.com

www.simcomm2m.com

Copyright © 2017 SIMCom Wireless Solutions Co., Ltd. All Rights Reserved

Distributed by:



Note: \* In Planning

## The Netherlands



Elektrostraat 17  
NL-7483 PG Haaksbergen

T: +31 (0)53 573 33 33  
F: +31 (0)53 573 33 30  
E: [nl@texim-europe.com](mailto:nl@texim-europe.com)

## Belgium



Zuiderlaan 14 bus 10  
B-1731 Zellik

T: +32 (0)2 462 01 00  
F: +32 (0)2 462 01 25  
E: [belgium@texim-europe.com](mailto:belgium@texim-europe.com)

## UK & Ireland



St. Mary's House, Church Lane  
Carlton Le Moorland  
Lincoln LN5 9HS

T: +44 (0)1522 789 555  
F: +44 (0)845 299 22 26  
E: [uk@texim-europe.com](mailto:uk@texim-europe.com)

## Germany North



Bahnhofstrasse 92  
D-25451 Quickborn

T: +49 (0)4106 627 07-0  
F: +49 (0)4106 627 07-20  
E: [germany@texim-europe.com](mailto:germany@texim-europe.com)

## Germany South



Martin-Kollar-Strasse 9  
D-81829 München

T: +49 (0)89 436 086-0  
F: +49 (0)89 436 086-19  
E: [germany@texim-europe.com](mailto:germany@texim-europe.com)

## Austria



Warwitzstrasse 9  
A-5020 Salzburg

T: +43 (0)662 216 026  
F: +43 (0)662 216 026-66  
E: [austria@texim-europe.com](mailto:austria@texim-europe.com)

## Nordic region



Sdr. Jagtvej 12  
DK-2970 Hørsholm

T: +45 88 20 26 30  
F: +45 88 20 26 39  
E: [nordic@texim-europe.com](mailto:nordic@texim-europe.com)

## General information



[info@texim-europe.com](mailto:info@texim-europe.com)  
[www.texim-europe.com](http://www.texim-europe.com)