

Functional characteristics

Width of PCB:	68 mm - 72 mm (2.677 in - 2.835 in)
Support Type:	extruded
Standard Colour:	green
Thickness of PCB:	1.6 ÷ 2.8 mm (.063 ÷ .110 in)
Material:	PA6.6 and PVC (UL94-V0)

Description

- 1 Central Body
- 2 Left Lateral Element with Rail Hook
- 3 Right Lateral Element with Rail Hook
- 4 DIN Rail Hook
- 5 Head Without Rail Hook
- 6 Screw for Head Fastening
- 7 Bracket for Mounting on the Wall
- 8 Size of STD Adapter for 68 mm (2.677 in) Boards

Part-Number	Pcs / pack
STC072S	50
STC0722000	10
STC072L	100
STC072TSX0	50
STC072TDX0	50
STC072P011	50
STC072T000	100
STC000V015	100
STC000V025	100
STC000F000	100
STC072A026	50

1

Custom Sized Cut Profile

For a Custom Sized Cut Profile, the length of the Central Body must be equal to the length of the PCB minus 3.5 mm (.138 inch). It's advised to round off the figure to the higher whole number. The length of the support, including the Lateral Elements, is equal to the length of the Profile plus 6 mm (.236 inch).

Example

For PCB		Cut Profile sizes L (1)		Length of support con aggancio guida DIN		Part-Number	Pcs / pack
(mm)	(in)	(mm)	(in)	(mm)	(in)		
20,00	.787	16,50	.650	22,50	.886	STC072S016	50
31,25	1.230	27,75	1.093	33,75	1.329	STC072S028	50
42,50	1.673	39,00	1.535	45,00	1.772	STC072S039	50
53,75	2.116	50,25	1.978	56,25	2.215	STC072S050	50
65,00	2.559	61,50	2.421	67,50	2.657	STC072S061	50
76,25	3.002	72,75	2.864	78,75	3.100	STC072S073	50
87,50	3.445	84,00	3.307	90,00	3.543	STC072S084	50
98,75	3.888	95,25	3.750	101,25	3.986	STC072S095	50
110,00	4.331	106,50	4.193	112,50	4.429	STC072S106	50
121,25	4.774	117,75	4.636	123,75	4.872	STC072S118	50
132,50	5.217	129,00	5.079	135,00	5.315	STC072S129	50
143,75	5.659	140,25	5.522	146,25	5.758	STC072S140	50
155,00	6.102	151,50	5.965	157,50	6.201	STC072S151	50
166,25	6.545	162,75	6.407	168,75	6.644	STC072S163	50
177,50	6.988	174,00	6.850	180,00	7.087	STC072S174	50
-----	-----	Profile for PCB with L = 2 m (78.740 in)		-----	-----	STC0722000	10
L (PCB)	L (PCB)	L(5) = L (PCB) -3,5	L = L (PCB) -1,38	L + 6	L +.236	STC072L_ _ _	100



Headquarters & Warehouse

Elektrostraat 17
NL-7483 PG Haaksbergen
The Netherlands

T: +31 (0)53 573 33 33
E: info@texim-europe.com
Homepage: www.texim-europe.com



The Netherlands

Elektrostraat 17
NL-7483 PG Haaksbergen

T: +31 (0)53 573 33 33
E: nl@texim-europe.com



Belgium

Zuiderlaan 14, box 10
B-1731 Zellik

T: +32 (0)2 462 01 00
E: belgium@texim-europe.com



UK & Ireland

St Mary's House, Church Lane
Carlton Le Moorland
Lincoln LN5 9HS


T: +44 (0)1522 789 555
E: uk@texim-europe.com



Germany - North

Bahnhofstrasse 92
D-25451 Quickborn

T: +49 (0)4106 627 07-0
E: germany@texim-europe.com



Germany - South

Martin-Kollar-Strasse 9
D-81829 München

T: +49 (0)89 436 086-0
E: muenchen@texim-europe.com



Austria

Warwitzstrasse 9
A-5020 Salzburg

T: +43 (0)662 216 026
E: austria@texim-europe.com



Nordic

Søndre Jagtvej 12
DK-2970 Hørsholm

T: +45 88 20 26 30
E: nordic@texim-europe.com



Italy

Via Matteotti 43
IT-20864 Agrate Brianza (MB)

T: +39 (0)39 9713293
E: italy@texim-europe.com